

MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A



DOT-CG-N-1-87, II DOT-TSC-CG-87-2, II SERVICE VESSEL ANALYSIS
VOL. II: DETAILED DISTRICT PLOTS

AD-A186 263

George J. Skaliotis, Ph.D.

Transportation Systems Center Cambridge, MA 02142



Final Report September 1987 DISTRIBUTION STATEMENT A

Approved for public releases

Distribution Unlimited

This Document is available to the public through the National Technical Information Service, Springfield, Virginia 22161

U.S. Department of Transportation
United States
Coast Guard

Office of Navigation Washington, DC 20593

NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for its contents or use thereof.

NOTICE

The United States Government does not endorse products of manufacturers. Trade or manufacturers' names appear herein solely because they are considered essential to the object of this report.

Technical Report Document

1. Report No. DOT-CG-N-1-87, II	2. Government Accession No.	3. Recipient's Catalog No.			
4. Title and Subtitle SERVICE VESSEL ANALYSIS, Vo	5. Report Date September 1987				
•		6. Performing Organization Code DTS-53			
7. Author's)		8. Performing Organization Report No.			
George J. Skaliotis, Ph.D.	DOT-TSC-CG-87-2, II				
9. Performing Organization Name and Addre U.S. Department of Transpor	10. Work Unit No. (TRAIS) CG775/B7007				
Research and Special Progra Transportation Systems Cent	11. Contract or Grant No.				
Cambridge, MA 02142	13. Type of Report and Paried Covere				
12. Sponsoring Agency Name and Address U.S. Department of Transpor United States Coast Guard	tation	Final Report Aug. 1986 - Aug. 1987			
Office of Navigation Washington, DC 20593	14. Sponsoring Agency Code G-NSR-2				
15 Supplementary Notes					

16. Abstract

This is a supplement to Service Vessel Analysis, Vol. I: Seagoing and Coastal Vessel Requirements for Servicing Aids to Navigation. The material included is not intended to stand alone but is prepared for use in conjunction with the original study

The analysis in Vol. I determines the number, mix, and home ports of vessels required to replace the aging fleet of WLB (seagoing) and WLM (coastal) buoy tenders currently servicing aids to navigation. Case studies were made with differing values of vessel speed, discrepancy response and other mission activity. The Service Force M (SFM) model is a computer implemented simulation which models the activities of vessel servicing aids to navigation. Given a list of navigation aids which are assigned to available servicing vessels, the model simulates, for each vessel, the annual servicing of those aids and reports the resulting vessel performance.

This analysis makes no recommendations but a possible scenario would suggest a replacement fleet of 31 vessels (17 seagoing, 14 coastal vessels), reducing the current fleet by 9 vessels. Determination of such savings might not have been obvious without the use of this modeling analysis technique.

This document contains graphic plots of aid to the vessel assignments used in this study.

17. Key Words Buoy Tenders, Navigation, S: Vessel Replacement	imulation,	18. Distribution Statement DOCUMENT IS AVAILABLE TO THE PUBLIC THROUGH THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD, VIRGINIA 22161						
19. Security Classif. (of this report) Unclassified	20. Security Cle Unclassifi	esif. (of this page) Led	21- No. of Pages 126	22. Price				

Form DOT F 1700.7 (8-72)

Reproduction of completed page authorized

PREFACE

This study of the replacement vessel requirements for servicing aids to navigation was performed by the Transportation Systems Center (TSC) for the United States Coast Guard, Office of Navigation. It is delivered as part of Project Plan Agreement CG-775 to the Short Range Aids Division (G-NSR-2). The Coast Guard project managers have been LCDR H. H. Sharpe and LCDR A. R. Stiles Jr. The significant contributions of LCDR Stiles toward chapter 3 and for description of the acquisition process are appreciated. The intensive activity of obtaining and verifying accurate data describing thousands of aids to navigation throughout the Coast Guard as well as the need for a thoroughly coordinated study approach has provided the opportunity for an unusually close working relationship between TSC and the Coast Guard project managers. The author gratefully acknowledges the guidance, support, and pleasing nature of this relationship.

All of the TSC data entry, computer model runs and hand entry of data for and plotting of aid assignments shown in Volume II of this document were cheerfully and tirelessly performed by Kathleen Murphy.

BTIC BUTY MSPECTED	Accesion For						
	DTIC	ourced					
	By Dinebution /						
	Availability Codes						
	Dist	Avail 200 Species					
	A-1						

METRIC CONVERSION FACTORS

	Sympo	.s .	1231		121		**		22713	1		*	# C g	8 8
Approximate Conversions from Matric Messures	To Find		lill	1		ᆈ		1		Cadhic Yords	exect)	Februaries temperatura	120 160	8 - 8
orwersions fro	Multiply by LENGTH	40	3 22	AREA	5.4.2.5 2.4.2.5 2.4.2.5	MASS (weight)	0.036 1.1 1.1	VOLUME	8-58;	12	TEMPERATURE (exect)	25 (The	, 25 1 25 1 25 1 25 1 25 1 25 1 25 1 25 1	2
Approximete Ca	When You Know	millimeters	A TOTAL	•	equate annimaters equate kilometers heaters (19,000 m²	-1	pom kilogram seess (1000 kg)	ļ		cubic motors	ı	Colous	# 9	20 - 30 - 30 - 30
	Sympo	ŧ	8 e e S		lil.		•2-		T	13		Ş		
						-						MHMM	nnmmun	- 5
			111	լ Առեր		inda Inda	.l.ulututu	''	idisdada.	יויןיויי		" " "		
	Symbol		5 5 a .	•	ใจจใน		•2.		111 <u>-</u>		11	;	ပ္	(1
Astric Messures	To Find		continuators continuators motors		Agrees continuedry Agrees meters Agrees tribuneers Accions	i		1	multinore multinore multinore beers		cubic motors	(100)	Colored Colore	norders and mers detail tables here. Price \$2.25 SD Cotalog
Approximate Convertions to Metric Measures	Multiply by	LENGTH	689 4 44	AREA	29222	MASS (weight)	753	VOLUME	- = 8	\$ 5 5	9. 9 9. 9	TEMPERATURE (exect)	Se la	100 100 100 100 100 100 100 100 100 100
Approxumate (When You Know	J	Feet See				ounces pounds abort tons (2000 ts)		lespoons Lablapoons fluid ounces Cups	prote quarte gattons	Cubic yards		rational resident	⁸ 1 in 2.64 cm (enecity). For other enect convertions and mor NBS tales, Puet. 206. Units of Weight and Measure. Price 52.26 Na. C13 10 206.
	Symbol		seli	l	3233		3.6		9 22.	z 3 3 7	1	1	t	⁶) In 2.64 cm NGS Adec, Publ. No. C13 10 286.

INTRODUCTION

This document is a supplement to the Service Vessel Analysis. It contains plots of aid assignments used in conjunction with the analysis. This material was separated from the main text because of its volume and the less direct nature of its content. This document is not intended to stand alone. Rather, it is a companion to the original study to which the reader is referred. The description below is repeated from Appendix E in the original document.


DESCRIPTION OF DETAILED DISTRICT PLOTS


As part of the process of verifying that assignments of aids to servicing vessels was reasonable, plots were developed representing the aids assigned to vessels. This section contains those plots. They are given in District order and within each District, they are shown in order of increasing numbers of District vessels. Each plot has an identifying heading which shows the district, run number and vessel name. The run number may be interpreted as follows. The example of "RUN2a-1" means there were 2 seagoing vessels and 1 coastal vessel assigned to the District. The "a" next to the "2" indicates this is the case where an alternative setup "a" was run of the 2 seagoing vessels. The vessel name of "big-1" indicates that this plot is only for seagoing vessel "1" and "small-2" would indicates that this plot is only for coastal vessel "2".


In addition to the heading, the number of aids plotted and shown are given. In cases where these two numbers are different, the difference is attributable to those aids which, due to their location, were outside the boundaries of the given map.


Each plot shows latitudes, longitudes, and all home ports within the boundaries (even if the ports are not in the same District). Each aid is plotted with a "+". The pen is left down between aids to that vessel track lines are also plotted. For each District, the first plot is "RUN1-1". This shows all the aids in the district for either the seagoing or coastal vessels on a single page. This helps to establish that the ordering on the aid list does not cause excessive zigzag vessel travel.


Other plots for the Districts show the cases run for other numbers of vessels. The runs shown are representative of each of the numbers of vessels run for the Districts. Not all of the minor changes which may have been run were plotted.




































è


 $\ddot{\mathcal{U}}$
















































ĵ.












X.


\ \ \ \ \

X









Care Constitution

N

¥.×.


8


\}


· }.


Ž.

*










K



		107	OF	RUN4- 107 AI	DS SH	NWC	
64 94			, N		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		16
		!		; ; ; ;		O SAN JUAN	
			1	:	; ;	;	
69		•	, .			•	. o
West)		·			i		
(degrees 74				• • •	• .		7
LONGITUDE							
79 1747 C					· · · · · · · · · · · · · · · · · · ·	·•	
or yes	Hand Ton C		anathra	HANI HIANI A HET	:		
84 34 ·	4		28 ·	52.	22.	19.	, 7 au


SECTION SECTIO

5.55


Ŝ


2


3



SKEKKER BSSSSSS KRKKKE REGEREE STRIKE STSSSSS SKEKKER SPESSS











W A

5











ď

X







i. X

汉


Ž


82







DISTRICT 8 RUN2-2 BIG-3 191 OF 191 AIDS SHOWN










};












X



Ħ


. ; . A






X


X X





不久

STANCE PERSONS WARREST DAMES












K








''


\$



























DISTRICT 13 RUN1-1 BIG-1 177 OF 177 AIDS SHOWN













MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A







N.











À







8

N


Z.


X





K






X


X

X

у. .


Constitution of the state of th







Ŝ


N







E






S






X

K







Ë

To the second


8


Z





*





8


Š


(A)

N.

S.

S.





N.

V. V.

() ()


X


X.

Š

S

É





X

3

24.75

Ô

X

8

0.

END DATE FILMED DEC. 1987